Errata for the **1st** Edition, **Indian Version** of "Understanding Digital Signal Processing" by Richard Lyons

These are mostly minor typographical errors, but a few corrections are significant. I must mention that I told the publisher's typesetter about the missing curves in Figures 3-16 and 5-25, and was *assured* that he would correct this. Be that as it may, I'll take the blame for a good many of the typographical errors in the book, and for this I really do beg your pardon. At least we have the consolation that, unlike many books, a list of corrections is available. (Although the following list looks long, it only takes a few minutes to go through the book and make these corrections.)

I realize now, that the "review process" by my colleagues (bless their souls) at work, and the subsequent review procedures of the publisher (the publisher had three reviewers for each Chapter) were not nearly as thorough as they should have been. (It appears that reviewers essentially "skimmed over" the material instead of reading it.)

Not that it helps you any, but most of these corrections have been made in the "Third Printing" of the book.

Page: Correction:

17 In the middle of Eq. (1-22) there should be a right
 parenthesis as:
 -(2cos(2pi.1.nt(sub s) + 2pi.3.nt(sub s))/2 .

34 The frequency axis labels in Part (c) of Figure 2-8 are "fouled-up". The tick marks for integer multiples of f(sub s'') offset. The tick marks for the multiples of the f(sub s'') sample rate should lie in between the shaded "barn door" spectral shapes. For example: the correct location for +f(sub s'') should be exactly in the middle of where the existing (incorrect) +f(sub s'') and +2f(sub s'') are now. Likewise, the correct location for -f(sub s'') should be exactly in the middle of where the existing (incorrect) -f(sub s'') and -2f(sub s'') are now. Etc. [Please pardon this miserable error.]

52 The incorrect letter "v" in the third line of Eq. (3-4d) should be replaced with a "." multiplication symbol.

64 At top of page, text: "Figures 3-3(b) and 3-3(d)" should be:

Figures 3-4(b) and 3-4(d).

69 In equation (3-20) the second "x(3)" should be "x(5)".

71 In the list of x(n)'s in the middle of the page, the second "x(3)" should be "x(5)". _____ 80 At top of page, text: "Figures 3-6 and 3-7." should be: Figures 3-7 and 3-8. _____ 82 In equations (3-29) and (3-30), change the angles "2*pi*n/N" to "2*pi*n/(N-1)". The original equations were valid larger-sized FFTs, but the change makes the equations valid for all FFT lengths. _____ 83 At beginning of last paragraph, text: "is the most narrow, 2f(sub s)/N." should be: is the most narrow, f(sub s)/N. _____ 84 The Rectangular window response curves are missing in Figure 3-16. The dots didn't show up in the "dash-dot" Hamming curves. _____ 102 At the top of the page, delete that derivative: d[X(m)]/dm. It shouldn't be there. _____ 105 In Figure 3-28, the label has a missing minus sign in front of the n(sub o). The "n(sub o) = -(K-1)/2" should be: -n(sub o) = -(K-1)/2. _____ 108 In Figure 3-31, the label "n(sub o) = -N/2+1" should be: -n(sub o) = -(N-1)/2The n-axis point labeled "N/2" should be labeled: (N-1)/2 _____ 110 Title for Figure 3-33, Greek typeface missing. Should be: Relationships between an angle alpha, line a = sin(alpha), and alpha's chord b: (a) Large angle alpha; (b) Small angle alpha. _____ 124 Missing minus sign in the exponent of the 2nd term of Eq. (3-73). Should be: ... + e^-j[pi(k+m)-pi(k+m)/N]... _____ On page 139, In Figure 4-2, the lower right four twiddle factors:

 W_8^4 , W_8^5 , W_8^6 , W_8^7

should be

 $-W_8^0$, $-W_8^1$, $-W_8^2$, $-W_8^3$

Page 140: Replace everything thing from the top of the page down to, and including, Eq. (4-24) with the following:

$$A(m) = \sum_{n=0}^{(N/2)-1} x(2n) W_{N/2}^{nm} = \sum_{n=0}^{(N/4)-1} x(4n) W_{N/2}^{2nm} + \sum_{n=0}^{(N/4)-1} x(4n+2) W_{N/2}^{(2n+1)m}.$$
(4-22)

Because $W_{N/2}^{2nm} = W_{N/4}^{nm}$ we can express A(m) in the form of two N/4-point DFTs, as

$$A(m) = \sum_{n=0}^{(N/4)-1} x(4n) W_{N/4}^{nm} + W_{N/2}^{m} \sum_{n=0}^{(N/4)-1} x(4n+2) W_{N/4}^{nm}$$
(4-23)

Notice the similarity between Eq. (4-23) and Eq. (4-20). This capability to subdivide an N/2-point DFT into two N/4-point DFTs gives the FFT its capacity to greatly reduce the number of necessary multiplications to implement DFTs. (We're going to demonstrate this shortly.) Following the same steps we used to obtained A(m), we can show that Eq.(4-21)'s B(m) is

 $B(m) = \sum_{n=0}^{(N/4)-1} x(4n+1)W_{N/4}^{nm} + W_{N/2}^{m} \sum_{n=0}^{(N/4)-1} x(4n+3)W_{N/4}^{nm}$ (4-24)In Item #3, replace "n" with "k". Text should be: 176 "as a function of time index k." _____ 186 The Rectangular window curves are missing in Figure 5-24. -----188 In Figure 5-25, the dots are missing in the "dashdot" Chebyshev curves. _____ 202 There's a major "foul up" on this page. Eq. (5-23) defines the group delay REGARDLESS of the number of taps in a FIR filter (having symmetrical coefficients). So the correction is to completely delete Eq. (5-23'), equation 5-23prime! Also delete the "odd" subscript after the "G" in Eq. (5-23). Delete the text "when S is odd, and" following Eq. (5-23) and delete the text "when S is even," following Eq. (5-23'). I beg your pardon for this error. 206 The upper limit of the summation in Eq. (5-26) is printed as: "P + O - 2" It should be: "P + Q - 1" _____ 221 The last term in Eq. (6-1), h(4)x(n-4), should be deleted making Eq. (6-1) look as follows: y(n) = h(0)x(n) + h(1)x(n-1) + h(2)x(n-2) + h(3)x(n-3).(6-1)_____ 257 The first term in the denominator of Eq. (6-44) has an exponent of M. It should be a minus M (-M). -----269 Figure 6-27: The "zero" should be located at the origin of the z-plane, and not at point z = 0.7005. -----299 Two "+" to "-" changes in Figure 7-2. At the top and bottom of the figure, both "i(n) + q(n)" expressions should be: i(n) - q(n). -----300 Two "+" to "-" changes. On the 7th line of the 2nd paragraph, and the 9th line of the 3rd paragraph, both "i(n) + q(n)" expressions should be: i

$$(n) - q(n)$$
.

Also in the 2nd paragraph, the text "Eq. (7-2)" should be "Eq. (7-1)". _____ 301 Sixth line of second paragraph, the "f"s should be replaced with "x"s. The text: "mixers in the f(sub i)(t) and f(sub q)(t) signals ... " should be: mixers in the x(sub i)(t) and x(sub q)(t) signals \dots _____ 302 There's a significant error in Figure 7-3(d)! The spectral replications at -3f(sub c), -f(sub c), +f(sub c)=f(sub s)/4, and +3f(sub c) should NOT be there. There should only be five spectral replications in Figure 7-3(d). _____ 302 In the last paragraph of this page, the sentence, "If we implement this digital mixing process we'll find that the spectral replication period in Figure 7-3(d) is half what is was in Figure 7-3(c)." is incorrect and should be deleted from the text. 307 The "6" in the denominator of the first ratio in Eq. (7-7) should have been a "4". Thus the result of Eq. (7-7)should be 665 stages. In Figure 7-5(c), those two diagonal "transition region" lines should not overlap each other, they should meet on the horizontal axis at the Freq = 4 kHz point._____ 314 On second line of last paragraph, text: "by 4/3 or 1.25, ..." should be: by 4/3 or 1.333, ... _____ 340 In Section 8.4, 1st paragraph, in the 4th line down the text: "... (N-1)-tap FIR filter ..." should be "... N-tap FIR filter ..." _____ 340 In Section 8.4, 2nd paragraph, in the 5th line down the text: "... b(N) coefficient ..." should be "... b(N-1) coefficient ..." -----355 The line "+20 in two's complement -->0 0 0 1 0 1 0 0" should be: +28 in two's complement -->0 0 0 1 1 1 0 0 _____ _____ 369 The top line of Eq. (9-19), "x' = x(sub real) + jx(sub imag) + [cos(alpha) - jsin(alpha) . (y(sub real) + jy(sub imag))", has a missing right bracket, it should be: x' = x(sub real) + jx(sub imag) + [cos(alpha)]- jsin(alpha)] . (y(sub real) + jy(sub imag)) _____

372, in the middle of the page: it is stated that "...the value of T bits, all ones, to the right of the binary point is 1-2^T." It should read: "... of the binary point is 1-2^-T." _____ 392, Fig. 10-6: the plots in part (b) should be relabeled as: "Magnitude of 1, 1, -1, -1" and "Phase of 1, 1, -1, -1". -----394, Figure 10-7: In part (b), the negative spectral component should be located at an index value of m = -8, not m = -9. _____ 422 The "F(m)" in the middle Fig. 10-19 should be "X(m)". _____ 424 Third line from the top of page, text: "same process as the above 2N-Point Real FFTs algorithm analysis," should be: "same process as the above Two N-Point Real FFTs algorithm analysis," _____ 427 Eq. (10-74): In the right-hand side of the first line, the conjugation symbol ("*") is missing over the (e^j2pinm/N) term. It should show: (e^j2pinm/N)^*. _____ 430 Eleventh line from the bottom of page, text: "Figure 10-23(b)." should be: Figure 10-23(a). -----449 Missing parenthesis in Eq. (A-19'). Angle variables should both be enclosed in parenthesis. "phi(sub 1) - phi(sub 2)" should be: (phi(sub 1) - phi(sub 2)) . _____ 449 In Eq. (A-20), improper "j" in first numerator term "(R(sub 1)R(sub 2) + jI(sub 1)I(sub 2))". Should be: (R(sub 1)R(sub 2) + I(sub 1)I(sub 2)) . _____ 450 In Eq. (A-24), the right parenthesis should not be superscripted. Should be: 3 cubed(e raised to the j3 times 125 degrees) . _____ 452 Text in first line of Eq. (A-37) has missing "j". Term "(ln(12) + pi/4)" should be: (ln(12) + jpi/4) . -----459 The footnote at the bottom of page 459 corresponds to the first footnote marker at the end of the first paragraph on pp. 460. _____ 464 Missing minus sign in second line up from the second paragraph. Text: "twelve o'clock, the e raised to the jwt phasor" should be: twelve o'clock, the e raised to the -jwt phasor. -----467 The last two sentences on this page are a jumble of nonsense. Please cross out the bottom five lines of the text on pp. 467 starting with "If we say that the ...". _____ 468 There are two missing "j"s in front of the w(sub o) terms in the exponents of the "sin(w(sub o)t)" expression in the title to Figure C-9. Text in the title should be: sin(w(sub o)t) = (e raised to the jw(sub o)t -

e raised to the -jw(sub o)t) divided by j2 =(-je raised to the jw(sub o)t + je raised to the -jw(sub o)t) divided by 2 . (Whew!) _____ 470 Reference [6] at the bottom of the page, should be [5]. _____ 471 Wrong Figure reference in second line. Text: "in Figure C-11." should be: in Figure C-12(b). _____ 474 Reference [8] at the bottom of the page, should be [7]. _____ 484 Missing minus sign in numerator of the 2nd term in the 2nd line of Eq. (D-12). Numerator " $(b + a)^2$ over 4" should be: (b - a) ^2 over 4. The final ratio at the end of Eq. (D-12) is printed as "(b - a)^2 over 4". It should be "(b + a)^2 over 4" ------487 In the sentence just following Eq. (E-2), there is a missing "P(sub 1)/P(sub 2)" ratio. That sentence should read as: "The logarithmic function 10log(sub 10) [P(sub 1)/P(sub 2)], plotted in ..." _____ 496 Under the "Chebyshev Function": the fifth line down is printed as: "...ripples in the passband and flat passbands..." It should be printed as: "...ripples in the passband and a flat stopband..." _____ 498 Missing minus sign on the second line of last paragraph. Text: "G = delta phi/delta f,..." should be: G = -delta phi/delta f, ..._____ 499 On page 499, there are both missing, and inappropriate minus signs. a. In the two numerators of Eq. (F-2), there should be a minus sign on front of the "delta phi" terms. b. Likewise, in the two numerators of Eq. (F-3), there should be a minus sign on front of the "delta phi" terms. c. On the next to the last line of the 2nd paragraph, (near the middle of the page) there should be a minus sign in front of the "0.25 radians/Hz,", making it "-0.25 radians/Hz," d. That same change should be made on the 1st line of last paragraph (i.e., "0.25 radians/Hz," should be "-0.25 radians/Hz,"). e. In the first ratio of Eq. (F-5), there should be a minus sign on front of the "delta phi" term. _____ 500 Figure F-4(b) vertical axis label "Filter Input" should be: "Linear phase filter output". _____ 504 The figure references in the definition of "Relative

Attenuation" are incorrect. Text: "Figures F-2 and F-5" should be: Figures F-3 and F-6.

