Errata for the Indian Edition (ISBN 978-81-317-6436-7) of "Understanding Digital Signal Processing, 3/E",

by Richard Lyons

I beg your pardon for the typographical errors in the book. (Almost 40% of those errors were caused by faulty software at the Printer, and cannot be detected until after

the book is actually printed.) It will not take long to make these corrections. I promise. -Rick Lyons------Page 43: The text in the first line of this page should be changed from "... in Figures 2-9(c) and 2-9(d)." to: "... in Figures 2-9(a), 2-9(b), and 2-9(e)." [Found by Walter Schulte (6/6/11)]; [Author Error] **Page 43:** In Figure 2-10 the strange $'\tilde{n}'$ characters should be minus signs. [Found by Author (9/14/11)]; [Production Error] ______ Page 57: On the right side of Eq. (3-6), the text: "X (m)" should be: "X_Φ (m) " as it is on the left side of Eq. (3-8). [Found by Turki Almadhi (12/5/10)]; [Production Error] ______ Page 58: On the right side of Eq. (3-10) there is a missing right parenthesis between the "4" and the period. The equation should end with:

"...+3 π /4)."

[Found by Lionel Keene (12/18/10)]; [Production Error] -----

Page 77: In the third line of the text, the words:

"... Sections 3.14 and 3.15 discuss ..."

should be changed to:

"... Section 3.13 discusses ..."

[Found by Lionel Keene (12/29/10)]; [Author Error]

Page 90: In the second line of Section 3.10, the text:

"... in Section 3.16, for ..."

should be changed to:

"... in Section 3.13, for ...".

[Found by Anonymous (11/27/11)]; [Author Error]

Page 91: In the sixth line from the bottom of the page, the value:

"... or -1.45 dB, ..."

should be changed to:

"... or **-1.72** dB, ...".

[Found by Rajeev Krishnamurthi (4/10/12)]; [Author Error]

______ Page 101: The last term in Equ. (3-37) has a missing minus sign in

its exponent. The last term should be:

... +
$$e^{-jq(K-1)}$$
].

[Found by Stan Moore, 3/19/12.][Production Error]

Page 114: Here's a truly strange error by the typesetting people. Equation (3-51), printed as:

$$\sum_{n=-\infty}^{\infty} x(n)e^{-j\omega n}$$

should be changed to:

$$X(\omega) = \frac{\sin(N\omega/2)}{\sin(\omega/2)}.$$

[Found by Stan Shear (4/3/13)]; [Production Error]

._____

On page 136, in Figure 4-2, the lower right four twiddle factors:

$$W_8^4$$
 , W_8^5 , W_8^6 , W_8^7

should be

$$-W_8^0$$
, $-W_8^1$, $-W_8^2$, $-W_8^3$

[Found by Saul Iverson, 10/3/17.] [Author Error]

2

Page 179: In the line just above Eq. (5-10), the text:

"... as Eq. (3-59), is ... "

should be changed to:

"... as Eq. (3-47), is ... "

[Found by Stan Shear (4/4/13)]; [Author Error]

Page 212: In the first line of text, in the text:

"... impulse response x(k) of ..."

the "x" should be changed to "h" making the text read as:

"... impulse response h(k) of ...""

[Found by Martin Forrester (3/28/11)]; [Author Error]

Page 219: The third term on the right side of Eq. (5-35)

"...
$$h(2) e^{-j0\omega}$$
 ..."

should be:

"...
$$h(2) e^{-j2\omega}$$
 ...".

[Found by Mark Tachiki (11/28/13)]; [Author Error]

Page 285: In the 7th line up from the bottom of the page,

Page 285: In the 7th line up from the bottom of the page,
the text printed as:

$$"(3!)^2 = 24"$$

should be changed to:

$$"(3!)^2 = 36"$$

[Found by Bert RAM Aerts (8/30/14)]; [Production Error]

Page 346: The denominators in Eq. (7-10) printed as:

$$h_{\text{SLI}}(k) = \frac{-1}{6}, \frac{8}{6}, 0, \frac{-8}{6}, \frac{1}{6}$$
 (7-10)

should be changed to:

$$h_{\text{SL1}}(k) = \frac{-1}{12}, \ \frac{8}{12}, \ 0, \ \frac{-8}{12}, \ \frac{1}{12}$$
 (7-10)

[Found by Author (4/20/14)]; [Author Error]

Page 346: The denominators in Eq. (7-11) printed as:

$$h_{\text{SL2}}(k) = \frac{-22}{126}, \ \frac{67}{126}, \ \frac{58}{126}, \ 0, \ \frac{-58}{126}, \ \frac{-67}{126}, \ \frac{22}{126}$$
 (7-11)

should be changed to:

$$h_{\text{SL2}}(k) = \frac{-22}{252}, \frac{67}{252}, \frac{58}{252}, 0, \frac{-58}{252}, \frac{-67}{252}, \frac{22}{252}$$
 (7-11)

3

[Found by Joseph Galante (4/15/14)]; [Author Error]

Page 266: In the 3rd line from the top, the expression: $"-\pi < \omega < +\omega"$

should be changed to:

 $-\pi \leq \omega \leq +\pi$

[Found by Mark Tachiki (12/5/13)]; [Author Error]

Page 286: In the center Section 2 portion of Figure 6-27, the printed

b'(0)

should be changed to:

b''(0)

[Found by Yancen Li (8/11/14)]; [Author Error]

Page 305: In the eleventh line below Eq. (6-104)

"... 6-21(b). Knowing that ..."

should be changed to:

"... 6-22(c). Knowing that ..."

[Found by Yancen Li (7/14/14)]; [Author Error]

Page 312: In the third line from the bottom of the page,
the text

"...in the form of Eq. (6-43)."

should be changed to:

"...in the form of Eq. (6-60)."

[Found by Yancen Li (8/11/14)]; [Author Error]

Page 317: In the fourth line from the top of the page,
the text

"...design filter in Figure 6-28(a)..."

should be changed to:

"...design filter in Figure 6-36(a)..."

[Found by Yancen Li (8/11/14)]; [Author Error]

Page 348: The upper right side of Eq. (7-13) contains four typos as shown by the red ovals n the following expression.

 $=\frac{j}{2\pi}\left[\frac{e^{j\omega_{c}k}}{k^{O}}-\frac{j\omega_{c}e^{j\omega_{c}k}}{2k}-\frac{e^{-j\omega_{c}k}}{k^{2}}+\frac{e^{-j\omega_{c}k}}{k}\right]$

That part of Eq. (7-13) should be changed to:

$$=\frac{j}{2\pi}\left[\frac{e^{j\omega_{c}k}}{k^{2}}-\frac{j\omega_{c}e^{j\omega_{c}k}}{k}-\frac{e^{-j\omega_{c}k}}{k^{2}}-\frac{j\omega_{c}e^{-j\omega_{c}k}}{k}\right]$$

[Found by Author, (1/22/11)]; [Author & Production Error]

Page 443: In the 3rd line up from the bottom of the page,
the text:

"... and use Eq. (2-13) with $m_{\text{odd}} = 5$ to set ..."

should be changed to:

"... and use Eq. (2-11) with k = 3 to set ..."

[Found by Jiwoo Kim, (2/5/12)]; [Author Error]

Page 484: In the 12th line, the text:

"... band Bv, the ..."

should be changed to:

"... band B', the ...".

[Found by Jiwoo Kim, (1/12/12)]; [Author Error]

Page 486: Eq. (5-3) contains two inappropriate small 'a' characters. The printed Eq. (5-3) should be changed to:

$$N \approx \frac{Atten}{22(f_{\text{stop}} - f_{\text{pass}})} = \frac{60}{22(2.2/400 - 1.8/400)} \approx 2727$$

[Found by Author, (6/16/11)]; [Production Error]

Page 489: In Figure 10-5(c) the frequency axis labels marked


$$(-3f_{s,old})$$
 and $(3f_{s,old})$

should be:

$$(-3f_{s,new})$$
 and $(3f_{s,new})$.

[Found by Author, (2/25/17)]; [Author Error]

Page 497: The labels of the vertical axes in Figure 10-11 should be changed as shown below.



[Found by Martin Forrester (3/24/11)]; [Author Error]

Page 530: On the left side of Figure 10-35 all instances of
 of

"±"

should be changed to:

"-", minus signs.

[Found by Author, (9/14/11)]; [Production Error]

Page 531: On the left side of Figure 10-36 all instances of of

"±"

should be changed to:

"-", minus signs.

[Found by Author, (9/14/11)]; [Production Error]

6

Page 535: At the upper-left side of Table 10-2, the "v(n)" (circled in red below):

	Three-bit integrator accumulator				Four-bit integrator accumulator			
n		w(n-5)	v(n)		w(n)		v(n)	
0	0	0	0		0	0	0	
1	1	0	1		1	0	1	

should be changed to

"w(n)"

making the upper-left side of the Table 10-2 look as shown below:

	Three-bit integrator accumulator				Four-bit integrator accumulator		
n		w(n-5)				w(n-5)	
0	0	0	0		0	0	0
1	1	0	1		1	0	1

[Found by Author (2/1/11)]; [Author Error]

Page 548: In the next to the last line before
Figure P10-10 complex-valued expression:

$$e^{-j2n/4}$$

should be changed to:

$$e^{-j2\pi n/4}$$

[Found by Renato Lopes, (10/29/13)]; [Author Error]

Page 586: Eq. (11-36) has a missing $\boldsymbol{\pi}$ character. That equation should be:

$$\alpha = \cos(2\pi f_c/f_s) - 1 + \sqrt{\cos^2(2\pi f_c/f_s) - 4\cos(2\pi f_c/f_s) + 3}$$
(11-36)

[Found by Zachary Blackwell (2/27/18)]; [Typesetting Software Error]

Page 620: On the 2nd and 3rd lines down from the top, the references to Eqs. (D-11) and (D-12) should be changed to Eqs. (D-28) and (D-29).

[Found by Prof. Kip Haggerty (1/1/16)]; [Author Error]

Page 645: In Figure 13-2(b) and 13-2(d), the vertical axes should be labeled $'\phi(m)'$ and $'\phi_{1,-1}(m)'$ respectively.


[Found by Jiwoo Kim (2/18/12)]; [production Error]

7

Page 650: in the fifth line down, delete the text:

"...followed by another K delay..."

In Figure 13-6(c) the final z^{-K} delay block should be deleted making that figure become:



[Found by Brian Frantz, 8/8/17.] [Author Error]

Page 654: In the second part of Equation (13-7), printed as:

$$|V| = \begin{cases} \text{Max} + \text{Min/8}, & \text{if Min} < 3\text{Max/8} \\ 27\text{Max/32} + \frac{19}{9}\text{Min/16}, & \text{if Min} \ge 3\text{Max/8} \end{cases}$$
 (13–7)

the "19" should be changed to a "9", making the equation look like:

$$|V| = \begin{cases} \text{Max} + \text{Min/8}, & \text{if Min} < 3\text{Max/8} \\ 27\text{Max/32} + 9\text{Min/16}, & \text{if Min} \ge 3\text{Max/8} \end{cases}$$
 (13–7)

[Found by Author (4/2/11)]; [Author Error]

Page 655: On the left side of the third line up from the bottom of Table 13-2, in the expression:

27Max/32 + 19Min/16

the "19" should be changed to a "9", making the expression look like:

27Max/32 + 9Min/16

[Found by Author (4/2/11)]; [Author Error]

Page 663: This page contains <u>seven</u> software-induced "typos" where an angle symbol (" \angle ") was inadvertently replaced by a hyphen followed by a space ("-"). Those typos are circled in red in the left panel below. The corrections are shown below in the right panel. (Correct angle symbols (" \angle ") can be seen at the bottom right of page 697.)

For example, the top line below should look like:

$$= \frac{0 - j7.9999}{2} = 0 - j4 = 4 \angle -90^{\circ}$$

[Found by Author, (1/29/11)]; [Production Error]

Continued on next page

Page 664: Similar to the typos on page 691, this page contains **four** "typos" where an angle symbol (" \angle ") was incorrectly replaced by a hyphen followed by a space ("-"). Those typos are circled in red in the left panel below. The corrections are shown below in the right panel.

$$= \frac{5.656 + j5.656}{2} = 2.828 + j2.828 = 4 + 45^{\circ},$$

$$X_b(2) = \frac{X_i(6) + X_i(2) + j[X_r(6) - X_r(2)]}{2} = \frac{0.0 + 2.8282 + j[0.0 - 2.8282]}{2}$$

$$= \frac{2.8282 - j2.8282}{2} = 1.414 - j1.414 = 2 - 45^{\circ},$$

$$X_b(3) = \frac{X_i(5) + X_i(3) + j[X_r(5) - X_r(3)]}{2} = \frac{0.0 + 0.0 + j[0.0 - 0.0]}{2} = 0 - 0^{\circ}, \text{ and}$$

$$X_b(4) = \frac{X_i(4) + X_i(4) + j[X_r(4) - X_r(4)]}{2} = \frac{0.0 + 0.0 + j[0.0 - 0.0]}{2} = 0 - 0^{\circ}.$$

9

[Found by Author, (1/29/11)]; [Production Error]

Page 664: In the first line of the last paragraph, the text:

"From Section 4.4, ..."

should be changed to:

"From Section 4.6, ..."

[Found by Author (2/23/11)]; [Author Error]

Page 713: In the first line of Table 13-4, the two values:

Real multiplies Real additions

should be changed to:

[Found by Pavel Rajmic (3/5/14)]; [Author Error]


Page 720: In the first line of Table 13-5, the four values:

should be changed to:

Real Real Real Real multiplies additions multiplies additions 2N 2(N-1) 2N 2(N-1)

[Found by Author (3/5/14)]; [Author Error]

Page 731: In Figure 13-60, the the two inputs to the arctangent operation should be:



[Found by Kendall Castor-Perry (8/10/12)]; [Production Error]

Page 777: In the third line of the first paragraph
the text:

"... in Figure 13-92(c),"

should be changed to:

"... in Figure 13-91(c),"

[Found by Les Mills (5/3/11)]; [Author Error]

Date: 2/27/2018 10

Page 785: In the third line up from the bottom of the page, the
text:

should be changed to

[Found by Author (1/23/11)]; [Author Error]

Page 786: In the fourth line below Eq. (13-162), the text:

should be changed to

[Found by Author (1/23/11)]; [Author Error]

Page 812: In the first paragraph following Figure 13-121, that starts with "Ah, but there's ...", there are three instances of the expression:

$$e^{-j2\pi m/N}$$

Those expressions should have the letter "n" inserted in the exponent, making all three expressions read as:

$$e^{-j2\pi nmN}$$

[Found by Author, 7/9/12.] [Author Error]

Page 821: The left side of Equ. (A-5) looks like the following:

$$-_{r} = \frac{\pi \phi_d}{180}.$$

The minus sign should be a Greek ϕ making Eq. (A-5) look like:

$$\phi_{r} = \frac{\pi \phi_{d}}{180} .$$

[Found by Stan Moore, 3/19/12.][Production Error]

Page 826: The cube root bar on the right side of Eq. (A-27) should not extend over the angle argument. The right side of Eq. (A-27) should look as follows:

$$\dots = \sqrt[3]{125} e^{j(75^{\circ} + n360^{\circ})/3}$$
 (A-27)

[Found by Turki Almadhi (12/1/10)]; [Production Error]

Page 847: Two corrections: On the <u>left</u> side of the second line of Eq. (D-12), the term:

should be:

"...
$$-\cos(2\omega t)$$
] ...

On the right side of the second line of Eq. (D-12), the term:

"...
$$-\frac{1}{2}$$
 (sin(ω t))..."

should be:

"...
$$-\frac{1}{4}(\sin(2\omega t))$$
..."

[Found by Julian Vrbancich, 10/23/12; [Author Error]

Dear Reader, if you find any additional errors, no matter how trivial, please notify me at: R.Lyons@ieee.org
I'd sure appreciate hearing from you and I promise I'll reply to your E-mail.

A suggestion: This errata is complete on the day you first received it. However, I have learned over the years that because of the way books are produced, as time goes by additional typographical errors will be detected. So what this means is that 6-12 months from now you might want to send me an E-mail requesting the errata **FOR YOUR PARTICULAR PRINTING NUMBER** of the book so you can check for any recently-detected "typos."

Thanks, [-Rick Lyons-]

